













SDS PREP DATE: 8/27/2015 SDS REVISION DATE: 4/28/2015 3137 E. 26th Street Vernon, CA 90058 (323) 266-7111

Product ID: ML-1180-4 24-Hour Emergency Telephone: (800) 255-3924

This Safety Data Sheet contains environmental, health and toxicology information for your employees. Please make sure this information is given to them. It also contains information to help you meet community Right To Know emergency response reporting requirements under SARA TITLE III and many other laws. If you resell this product, this SDS must be given to the buyer or the information incorporated in your SDS.

Section 1: Company and Product Identification _

The Starco Group 3137 E. 26th Street Vernon, CA 90058 (323) 266-7111

24-Hour Emergency Telephone: (800) 255-3924

Product ID: ML-1180-4

Product Name: Kleenol 30, 4x1 ga

Intended Use: CLEANER DEGREASER CONCENTRATE

Section 2: Hazard(s) Identification _

Product Signal Word: WARNING

Physical Hazard Classification: Non Hazardous

NON HAZARDOUS

Physical Hazard Precautionary Statements:

Causes skin and eye irritation.

IF ON SKIN: Gently wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

Health Hazard Classification(s):

Acute Toxicity - Oral - Level 4 Warning
Acute Toxicity - Dermal - Level 4 Warning
Skin Corrosion/Irritation -Level 3 Warning
Eye Damage/Irritation -Level 2A Warning



Hazardous to the Aquatic Environment - Chronic

Health Hazard Statements:

Harmful if swallowed.

Harmful in contact with skin.

Causes mild skin irritation.

Causes serious eye irritation.

May cause long lasting harmful effects to aquatic life.

Section 3: Product Composition















SDS PREP DATE: 8/27/2015

SDS REVISION DATE: 4/28/2015

Product ID: ML-1180-4

3137 E. 26th Street Vernon, CA 90058 (323) 266-7111

24-Hour Emergency Telephone: (800) 255-3924

	CAS#	% Range		PEL	TLV
2-BUTOXYETHANOL	111-76-2	10%	15%	25 PPM	25 PPM
POTASSIUM HYDROXIDE, LIQUID	1310-58-3	0%	2%	NOT ESTABLISHED	NOT ESTABLISHED
INERT MATERIAL	7732-18-5	70%	85%	NOT ESTABLISHED	NOT ESTABLISHED
SODIUM METASILICATE	6834-92-0	1%	5%	ND	ND
Dodecyl Benzene Sulfonic Acid	25155-30-0	1%	5%	N/D	N/D
ETHYLENE DIAMINE TETRA ACETATE	64-02-8	0%	2%	NOT DETERMINED	NOT DETERMINED
SODIUM METASILICATE	6834-92-0	1%	5%	15 MG/M3	10 MG/M3

Specific chemical identity and exact percentages are withheld as Trade Secret.

Section 4: First-Aid Measures _

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER/doctor/physician if you feel unwell.

See Section 12 if specific treatment is applicable.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

THRESHOLD LIMIT VALUE: See Section III

EFFECTS OF OVER EXPOSURE: Irritation to skin and eyes.

EMERGENCY FIRST AID PROCEDURES:

SKIN: Wash with soap and water.

EYE: Flush with water for at least 15 minutes.

INHALATION: Remove to fresh air. See a physician if irritation persist.

ORAL: Call a physician. Do not induce vomiting.

ADDITIONAL: Contact with eyes will be painful and irritating. Prolonged or repeated contact with skin may cause irritation. Mist caused by manufacturing operations may irritate the nasal passages.

Section 5: Fire-Fighting Measures _

FIRE & EXPLOSIONS HAZARDS: Keep containers cool. Use equipment or shielding required to protect personnel against bursting, rupturing, venting containers.

FIRE FIGHTING EQUIPMENT: At elevated temperatures (above 120 F) containers may vent, rupture, or burst.

EXTINGUISHING MEDIA: Foam Dry Chemical, Carbon Dioxide.















SDS PREP DATE: 8/27/2015 SDS REVISION DATE: 4/28/2015

Product ID: ML-1180-4

3137 E. 26th Street Vernon, CA 90058 (323) 266-7111

24-Hour Emergency Telephone: (800) 255-3924

Section 6: Accidental Release Measures_

SPILL PROCEDURES: Pick up free material for recycle/disposal.

WASTE DISPOSAL: Disposal should be in compliance with Federal, State and local laws.

Section 7: Handling and Storage _____

Avoid release to the environment.

VENTILATION PROCEDURE: Use adequate ventilation

GLOVES PROTECTION: Neoprene or nitrile rubber gloves recommended.

RESPIRATORY PROTECTION: When applicable, wear a NIOSH approved respirator appropriate for the vapor or mist concentration at the point of use.

EYE PROTECTION: Safety glasses.

OTHER PROTECTION: None

Section 8: Exposure Control / Personal Protection _____

Wash hands and exposed areas thoroughly after handling.

Do no eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

VENTILATION PROCEDURE: Use adequate ventilation

GLOVES PROTECTION: Neoprene or nitrile rubber gloves recommended.

RESPIRATORY PROTECTION: When applicable, wear a NIOSH approved respirator appropriate for the vapor or mist concentration at the point of use.

EYE PROTECTION: Safety glasses.

OTHER PROTECTION: None

Section 9: Product Properties_____

Flash Point (CCP): > 150 F

Boiling Point for Product: > 212 F

Vapor Pressure for Product: N/E

Vapor Density for Product: > 1.00

Specific Gravity: 1.005

V.O.C.: 130 grams/Liter

Water Solubility: complete















3137 E. 26th Street

Vernon, CA 90058 (323) 266-7111

SAFETY DATA SHEET

SDS PREP DATE: 8/27/2015

SDS REVISION DATE: 4/28/2015

Product ID: ML-1180-4 24-

24-Hour Emergency Telephone: (800) 255-3924

Appearance: Clear Thin Yellow Liquid

PH: 12.8 +/- 0.5

Section 10: Stability and Reactivity

INCOMPATIBILITY: Strong Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Sulfur dioxide, Hydrogen Sulfide, Nitrous Oxides and Ammoniacal Vapors.

POLYMERIZATION: Will not occur.

Section 11: Toxicological Information_

2-BUTOXYETHANOL 111-76-2

Acute oral toxicity: LD50 Guinea pig: 1,200 mg/kg
Acute inhalation toxicity: LC50 Guinea pig: > 633 ppm, 1 h
Acute dermal toxicity: LD50 Guinea pig: > 2,000 mg/kg

POTASSIUM HYDROXIDE, LIQUID 1310-58-3 **Acute oral toxicity:** LD 50 Rat: 214 mg/kg

When in solution, this material will affect all tissues with which it comes in contact. The severity of the tissue damage is a function of its concentration, the length of tissue contact time, and local tissue conditions. After exposure there may be a time delay before irritation and other effects occur. This material is a strong irritant and is corrosive to the skin, eyes, and mucous membranes. This material may cause severe burns and permanent damage to any tissue with which it comes into contact.

SODIUM METASILICATE PENTAHYDRATE 6834-92-0

Acute Dermal Toxicity: This material is corrosive to skin and eyes

Acute Oral Toxicity LD50 (rat) 1500 - 3200 mg/Kg

Dodecyl Benzene Sulfonic Acid (DDBSA) 25155-30-0 **Acute oral toxicity:** LD50 Mouse: 1000 mg/Kg

ETHYLENE DIAMINE TETRA ACETATE ACID 64-02-8 **Acute oral toxicity:** LD50 Rat: 3030 mg/Kg **Acute dermal toxicity:** LD50 Rabbit: >5000 mg/Kg

SODIUM METASILICATE 6834-92-0

The hazard of sodium metasilicates, by all routes, comes from its corrosivity caused by the high alcalinity.

Acute oral toxicity: LD50 Rat : 600 - 1350 mg/kg **Inhalation:** Irritating to respiratory system

Eye: Corrosive. May cause serious damage to eye, unless treated immediately

Skin: Corrosive

Section 12: Ecological Information _____

2-BUTOXYETHANOL 111-76-2 Aquatic Toxicity LC50 Fish: 1490 mg/L Aquatic Toxicity EC50 Crustacea: 550-1000 mg/L















SDS PREP DATE: 8/27/2015

SDS REVISION DATE: 4/28/2015

Product ID: ML-1180-4

3137 E. 26th Street Vernon, CA 90058 (323) 266-7111

24-Hour Emergency Telephone: (800) 255-3924

POTASSIUM HYDROXIDE, LIQUID 1310-58-3

ECOTOXICITY DATA: Aquatic Toxicity:

This material is alkaline and may raise the pH of surface waters with low buffering capacity.

This material has exhibited moderate toxicity to aquatic organisms.

Freshwater Fish Toxicity:

LC50 (Mosquito fish): 80 mg/L/96 hr (static bioassay in fresh water at 18-19 C)

LC50 (Fathead Minnow): 179 mg/L/96 hr (static at 22.3-24.7 C)

Invertebrate Toxicity:

EC50 (Daphnia magna): 60 mg/L/48 hr (static bioassay at 20.3-20.7 C)

Algae Toxicity:

ErC50 (Selenastrum capricornutum): 61 mg/L/96 hr (static bioassay at 23-23.9 C)

FATE AND TRANSPORT:

BIODEGRADATION: This material will disassociate into ionic form in the aquatic environment. Natural carbon dioxide will slowly neutralize this material.

BIOCONCENTRATION: This material will not bioconcentrate.

ADDITIONAL ECOLOGICAL INFORMATION: This material has exhibited slight toxicity to terrestrial organisms.

ECOLOGICAL HAZARDS: This material has exhibited moderate toxicity to aquatic organisms.

SODIUM METASILICATE PENTAHYDRATE 6834-92-0

Acutely harmful to aquatic life due to pH. Does not bio-accumulate in aquatic systems.

Acute Toxicity LC50 (fish) 2320 mg/L 96 hr. EC50 (water flea) 247 mg/L

ETHYLENE DIAMINE TETRA ACETATE ACID 64-02-8

Material is practically non-toxic to fish. Acute LC50 (flathead minnow) > 100 mg/L LC50 (bluegill) 1030 mg/L

SODIUM METASILICATE 6834-92-0

General consideration: soluble silicates upon dilution rapidly depolymerise into molecular species indistinguishable from natural dissolved silica. They combine with ions like Ca, Mg, Fe, Al and others to end up as insoluble compounds similar to constituents of natural soils. However, the pH of most undiluted silicate solutions is above acceptable limits for direct discharge into waterbodies.

Mobility: not mobile

Biodegradability: not applicable on inorganic substances

Accumulation: no ECOTOXICITY DATA:

LC50 Fish: 3185mg product/litre (by analogy with sodiumsilicate with MR 3.36, 35%) EC50 Bacteria: > 1000mg product/litre (by analogy with sodiumsilicate with MR 3.36, 35%)) EC50 Daphnia: 4857mg product/litre (by analogy with sodiumsilicate with MR 3.2, 35%)

If applicable, IARL, NPT and OSHA carcinogens and chemicals subject to the reporting requirements of SARA Title III, Section 313 are identified in Section III with an "*". Additional ecological information is Not Determined.

Section 13: Disposal Information_

Dispose of contents/container in accordance with local regulations.

WASTE DISPOSAL METHOD: Consult local authorities for proper waste disposal procedures. Empty de-pressurized containers can not be reused. Cans which are pressurized or contain liquid must be disposed of in a permitted waste management facility. Consult Federal, State, and local disposal authorities for approved procedures.

Section 14: Transportation Information















SDS PREP DATE: 8/27/2015

SDS REVISION DATE: 4/28/2015

Product ID: ML-1180-4

3137 E. 26th Street Vernon, CA 90058 (323) 266-7111

24-Hour Emergency Telephone: (800) 255-3924

DOT Proper Shipping Name: (NOT REGULATED)

Section 15: Regulatory Information

	CAS#	PEL	TLV
2-BUTOXYETHANOL	111-76-2	25 PPM	25 PPM
POTASSIUM HYDROXIDE, LIQUID	1310-58-3	NOT ESTABLISHED	NOT ESTABLISHED
INERT MATERIAL	7732-18-5	NOT ESTABLISHED	NOT ESTABLISHED
SODIUM METASILICATE	6834-92-0	ND	ND
Dodecyl Benzene Sulfonic Acid	25155-30-0	N/D	N/D
ETHYLENE DIAMINE TETRA ACETATE	64-02-8	NOT DETERMINED	NOT DETERMINED
SODIUM METASILICATE	6834-92-0	15 MG/M3	10 MG/M3

Section 16: Other Information

If applicable, IARL, NPT and OSHA carcinogens and chemicals subject to the reporting requirements of SARA Title III, Section 313 are identified above with an "*"

Consumer Product Safety Act Certificaton.

This product was evaluated by the Company listed above and is certified to be in compliance with the provisions of the Consumer Product Safety Act, the Federal Hazardous Substances Act, and the Poison Prevention Packaging Act, as applicable. This product was manufactured at the location identified on the SDS. The date of manufacture is stamped on the product container. No testing is required to certify compliance with the above mentioned regulation.

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.