



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Id		ntif	21	atı	0	n
IU	CI	111		αι	U	ш

· Product identifier

- · Trade name: FancyHeat Methanol Blue
- · Product code: 17800-F800, F805, F827, F810, F815, F835, F840
- · Recommended use and restriction on use
- · Recommended use: Fuel
- · Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Fancyheat Corporation 40 Veronica Avenue Somerset, NJ 08873 USA

1-973-589-1450 • **Emergency telephone number:** CHEMTREC

1-800-424-9300 (US/Canada) +01 703-527-3887 (International)

2 Hazard(s) identification

[•] Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapor.

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

Eye Irrit. 2B H320 Causes eye irritation.

STOT SE 1 H370 Causes damage to the central nervous system and optic nerve.

• Additional information: There are no other hazards not otherwise classified that have been identified.

[·] Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



 Signal word: Dan Hazard statemen 	•	
H226	Flammable liquid and vapor.	
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.	
H320	Causes eye irritation.	
H370	Causes damage to the central nervous system and optic nerve.	
· Precautionary sta	atements:	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
P233	Keep container tightly closed.	
		(Cont'd. on page 2)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

	(Cont'd. of page 1)
P240	Ground/bond container and receiving equipment.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapors.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and eye protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P330	Rinse mouth.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use foam, powder, or carbon dioxide for extinction.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
[.] Other hazard	S There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

67-56-1	methanol

Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370 Eye Irrit. 2B, H320

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• After inhalation:

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

• After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Cont'd. on page 3)

60-80%



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 2)

Seek immediate medical advice. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Headache Thirst Dizziness Nausea Acidosis Coughing Blindness Disorientation Unconsciousness Danger: Danger of impaired breathing. Danger of circulatory collapse. Danger of convulsion. Causes damage to the central nervous system and optic nerve. Toxic if swallowed, in contact with skin or if inhaled. Indication of any immediate medical attention and special treatment needed: Contains méthanol. Consult literature for specific antidotes. If medical advice is needed, have product container or label at hand. Medical supervision for at least 48 hours. Monitor circulation, possible shock treatment. If necessary oxygen respiration treatment.

5 Fire-fighting measures

Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• For safety reasons unsuitable extinguishing agents: None.

[•] Special hazards arising from the substance or mixture

Flammable liquid and vapor.

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

[•] Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Use large quantities of foam as it is partially destroyed by the product.

(Cont'd. on page 4)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 3)

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Use personal protective equipment as required.

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

Isolate area and prevent access.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Use only in well ventilated areas.

Open and handle receptacle with care.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable liquid and vapor.

• Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- Information about storage in one common storage facility:
- Store away from foodstuffs.

Store away from oxidizing agents.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

(Cont'd. on page 5)



Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 4)

8 Exposure controls/personal protection			
· Control parameters			
· Components w	vith limit values that require monitoring at the workplace:		
67-56-1 methar	nol		
PEL (USA)	Long-term value: 260 mg/m ³ , 200 ppm		
REL (USA)	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin		
TLV (USA)	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI		
EL (Canada)	Short-term value: 250 ppm Long-term value: 200 ppm Skin		
EV (Canada)	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin		
LMPE (Mexico)	Short-term value: 250 ppm Long-term value: 200 ppm PIEL, IBE		
· Ingredients wit	th biological limit values:		
67-56-1 methar	nol		
Med	BEI (USA) 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)		
General protect The usual protect Keep away from Immediately rem Wash hands be Store protective Do not inhale ga Avoid contact w Engineering co Breathing equi Not required un For large spills, Protection of h Wear protective The glove mate Material of glov	ective equipment: ctive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. move all soiled and contaminated clothing. effore breaks and at the end of work. e clothing separately. ases / fumes / aerosols. with the eyes and skin. ontrols: No relevant information available. ipment: der normal conditions of use. respiratory protection may be advisable. hands: e gloves to handle contents of damaged or leaking units. with has to be impermeable and resistant to the product/ the substance/ the preparation ves	on.	
Butyl rubber, BF	R (Cont'd. on	page 6)	



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 5)

Rubber gloves Neoprene gloves

• Not suitable are gloves made of the following materials: PVA gloves

• Eye protection: Follow relevant national guidelines concerning the use of protective eyewear.

Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

Limitation and supervision of exposure into the environment

No relevant information available.

• Risk management measures See Section 7 for additional information.

9 Physical and chemical properties

Information on basic physical a	and chemical properties
Appearance:	· · · · · · · · · · · · · · · · · · ·
Form:	Gel liquid.
Color:	Blue
Odor:	Alcohol-like
Odor threshold:	Not determined.
· pH-value:	7-8
• Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	64 - 82°C (147 - 180 °F)
· Flash point:	25.5°C (78 °F)
Flammability (solid, gaseous):	Not applicable.
• Auto-ignition temperature:	477°C (891 °F)
Decomposition temperature:	Not determined.
[.] Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
· Explosion limits	
Lower:	5.5 Vol %
Upper:	44.0 Vol %
· Vapor pressure at 20°C (68 °F):	128 hPa (96 mm Hg)
· Density:	
Relative density:	0.8
Vapor density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity	
Dynamic:	Not determined.
	(Cont'd. on page



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 6)

Kinematic: Other information Not determined. No relevant information available.

10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability:
- Thermal decomposition / conditions to be avoided:
- Avoid open flame, ignition sources, contact with incompatibile substances.
- [•] Possibility of hazardous reactions
- Flammable liquid and vapor.

Used empty containers may contain product gases which form explosive mixtures with air. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. Reacts with strong oxidizing agents.

Conditions to avoid Excessive heat.

· Incompatible materials Oxidizing agents

• Hazardous decomposition products Carbon monoxide and carbon dioxide

11 Toxicological information

[·] Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification: None.

· Primary irritant effect:

- · On the skin: Based on available data, the classification criteria are not met.
- On the eye: Based on available data, the classification criteria are not met.

· Sensitization: No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Inhalation.

Eye contact.

Skin contact.

Ingestion.

• Acute effects (acute toxicity, irritation and corrosivity):

Toxic if swallowed, in contact with skin or if inhaled.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Causes damage to the central nervous system and optic nerve.

(Cont'd. on page 8)



FancyHeat

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 7)

STOT-repeated exposure: Based on available data, the classification criteria are not met.
 Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- **Mobility in soil:** No relevant information available.
- [•] Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- [•] Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Waste disposal key: EPA RCRA Code (USA): U154, D001.

[·] Uncleaned packagings

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT	UN1987
ADR, IMDG, IATA	UN1986
UN proper shipping name	
DOT	Alcohols, flammable, n.o.s. (Methanol)
ADR, IMDG	ALCOHOLS, FLAMMABLE, TOXIC, N.O.
	(METHANOL)
ΙΑΤΑ	Alcohols, flammable, toxic, n.o.s. (Methanol)



Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

ade name: FancyHeat Methanol Blue		
		(Cont'd. of pag
[·] Transport hazard class(es)		
DOT		
Class	3 Flammable liquids	
Label	3	
ADR		
Class	3 (FT1) Flammable liquids	
Label	3+6.1	
IMDG		
Class	3 Flammable liquids	
Label	3/6.1	
ΙΑΤΑ		
Class	3 Flammable liquids	
Label	3 (6.1)	
Packing group		
DOT, ADR, IMDG, IATA		
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler): EMS Number:	36	
	F-E,S-D	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code		
WARPULISHO and the IBC Code	Not applicable.	





Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

	(Cont'd. of page 9
· Trans	port/Additional information:
DOT	
\diamondsuit	Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.
· ADR	
\diamondsuit	Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.
IMDG	
\diamondsuit	Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.
· IATA	
Ŷ	Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each / L net.

15 Regulatory information

 Safety, health and environmental regulations/legislation spec mixture United States (USA) SARA 	ific for the substance o
· Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
67-56-1 methanol	
TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
	(Cont'd. on page 11



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 10)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

67-56-1 methanol

· Carcinogenic categories

• EPA (Environmental Protection Agency):

None of the ingredients are listed.

• IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision August 10, 2017 / -

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration LDLo: Lowest Lethal Dose Observed Flam. Lig. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 3: Acute toxicity – Category 3 Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 Sources

(Cont'd. on page 12)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 11)

Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com