

Printing date: March 01, 2018

Revision: March 01, 2018

## 1 Identification

### <sup>•</sup> Product identifier

### · Trade name: Vesta Heat, VIEWS, Big Wick

· Product code: C200, C400, C600, ST200, ST400, ST600, X200, X400, X600, V420, V620

· **Synonyms:** Diethylene glycol, DEG

· Other means of identification:

CAS number: 111-46-6

Index number: 603-140-00-6

Registration number: 01-2119457857-21-XXXX

#### · Product description:

A safe method for delivering heat, in a controlled manner, for the purpose of heating, or maintaining the heat of, dishes that contain cooked food. Product can vary in burn times, and wick styles, but will always use the non-flammable substance called Diethylene Glycol which requires a wick for ignition and heat delivery.

#### • Application of use:

The fuel, Diethylene Glycol, is held in a container and delivered via a Fiberglass wick or cotton pad wick. The product is ignited and burned to provide heat for food warming applications, such as chafing dishes, hot boxes, and other similar foodservice methods.

#### **Recommended use:**

Maintaining safe serving temperatures of cooked food in buffet dishes, chafing dishes, and other foodservice application, ensuring food is held at or above 60  $^{\circ}$ C (140  $^{\circ}$ F).

#### **Restrictions on use:**

Do not use in environments and/or applications where temperatures around the unit exceed 120  $^\circ\text{C}$  (248  $^\circ\text{F}).$ 

### <sup>•</sup> Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier:

LeoLight inc 503 Oakdale Rd Toronto, Ontario, Canada M3N 1W7 1-800-267-6428 info@leolight.net

### · Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

## 2 Hazard(s) identification

### <sup>•</sup> Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

### <sup>-</sup> Label elements

### · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:

(Cont'd. on page 2)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2018

Revision: March 01, 2018

### Trade name: Vesta Heat, VIEWS, Big Wick

(Cont'd. of page 1) GHS07 GHS08 · Signal word: Warning · Hazard statements: H302 Harmful if swallowed. H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral. · Precautionary statements: P260 Do not breathe vapors. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P314 Get medical advice/attention if you feel unwell. Rinse mouth. P330 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

<sup>•</sup> Chemical characterization: Substances

Description

2,2'-oxybisethanol · Identification number(s) CAS number: 111-46-6 Index number: 603-140-00-6 Registration number: 01-2119457857-21-XXXX

### 4 First-aid measures

Description of first aid measures
After inhalation: Supply fresh air; consult doctor in case of complaints.
After skin contact:

Generally the product does not irritate the skin.
Rinse with warm water.

After eye contact:

Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Headache
Dizziness

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2018

Revision: March 01, 2018

### Trade name: Vesta Heat, VIEWS, Big Wick

(Cont'd. of page 2)

Cramp Nausea

· Danger: Danger of convulsion.

• Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours.

viedical supervision for at least 48 hours

## **5** Fire-fighting measures

### • Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

· For safety reasons unsuitable extinguishing agents: None.

• Special hazards arising from the substance or mixture No relevant information available.

<sup>•</sup> Advice for firefighters

### • Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Cool endangered receptacles with water spray.

### 6 Accidental release measures

<sup>•</sup> Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Use personal protective equipment as required.

# Keep away from ignition sources.

Environmental precautions

Avoid release to the environment.

Prevent from spreading (e.g. by damming-in or oil barriers).

• Methods and material for containment and cleaning up

Absorb liquid components with liquid-binding material.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

### <sup>·</sup> Handling

• Precautions for safe handling: Keep out of reach of children.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

<sup>•</sup> Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles. • Information about storage in one common storage facility: Store away from foodstuffs.

(Cont'd. on page 4)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2018

Revision: March 01, 2018

Trade name: Vesta Heat, VIEWS, Big Wick

(Cont'd. of page 3)

Store away from oxidizing agents.

Specific end use(s) No relevant information available.

## 8 Exposure controls/personal protection

### <sup>•</sup> Control parameters

· Components with limit values that require monitoring at the workplace:

111-46-6 2,2'-oxybisethanol

WEEL (USA) Long-term value: 10 mg/m<sup>3</sup>

### • Exposure controls

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- Engineering controls: No relevant information available.
- Breathing equipment: Not necessary if room is well-ventilated.

## Protection of hands:

Not required under normal conditions of use.

Wear protective gloves to handle contents of damaged or leaking units.

• Eye protection: Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Not required under normal conditions of use.
- · Risk management measures No relevant information available.

Information on basic physical and	chemical properties
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Nearly odorless
Odor threshold:	Not determined.
pH-value:	6
Melting point/Melting range:	-6.5 °C (20.3 °F)
Boiling point/Boiling range:	245 °C (473 °F)
Flash point:	138 °C (280.4 °F)
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	372 °C (701.6 °F)
Decomposition temperature:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.





## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2018

Revision: March 01, 2018

Trade name: Vesta Heat, VIEWS, Big Wick

		(Cont'd. of page
· Oxidizing properties:	Non-oxidizing.	
· Vapor pressure at 25 °C (77 °F):	0.008 hPa (0 mm Hg)	
· Density:		
Relative density at 20 °C (68 °F):	1.118	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water) at	20 °C	
(68 °F):	-1.98 log POW	
· Viscosity		
Dynamic at 25 °C (77 °F):	30 mPas	
Kinematic:	Not determined.	
• Other information	No relevant information available.	

## 10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability:

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions Reacts with strong acids.

· Conditions to avoid Excessive heat.

· Incompatible materials Oxidizers, strong bases, strong acids

· Hazardous decomposition products Carbon monoxide and carbon dioxide

## **11** Toxicological information

### <sup>·</sup> Information on toxicological effects

· Acute toxicity: Harmful if swallowed.

· LD/LC50 values that are relevant for classification:

		oxybisethanol
Oral	LD50	1120 mg/kg (man)

12565 mg/kg (rat)

Dermal LD50 11890 mg/kg (rabbit)

## Primary irritant effect:

• On the skin: Based on available data, the classification criteria are not met.

· On the eye: Based on available data, the classification criteria are not met.

 $\cdot$  Sensitization: Based on available data, the classification criteria are not met.

### · IARC (International Agency for Research on Cancer):

### Substance is not listed.

(Cont'd. on page 6)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2018

Revision: March 01, 2018

### Trade name: Vesta Heat, VIEWS, Big Wick

	(Cont'd. of pag
NTP (National Toxicology Program):	
Substance is not listed.	
OSHA-Ca (Occupational Safety & Health Administration):	
Substance is not listed.	
Probable route(s) of exposure:	
Ingestion.	
Inhalation.	
Eye contact.	
Skin contact.	
Germ cell mutagenicity: Based on available data, the classification criteria are not met.	
Carcinogenicity: Based on available data, the classification criteria are not met.	
<b>Reproductive toxicity:</b> Based on available data, the classification criteria are not met.	
<b>STOT-single exposure:</b> Based on available data, the classification criteria are not met.	
STOT-repeated exposure:	
May cause damage to the kidneys through prolonged or repeated exposure. Route of exp <b>Aspiration hazard:</b> Based on available data, the classification criteria are not met.	osure: Oral.

## **12 Ecological information**

<sup>·</sup> Toxicity

· Aquatic toxicity No relevant information available.

Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

• Mobility in soil: No relevant information available.

Additional ecological information

· General notes: Not known to be hazardous to water.

• Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• vPvB: Not applicable.

· Other adverse effects No relevant information available.

## **13 Disposal considerations**

### <sup>·</sup> Waste treatment methods

#### · Recommendation:

Smaller quantities can be disposed of with household waste.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

### <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

(Cont'd. on page 7)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2018

Revision: March 01, 2018

Trade name: Vesta Heat, VIEWS, Big Wick

(Cont'd. of page 6)

UN-Number		
DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA Class	Not regulated.	
Packing group DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II	of	
MARPOL73/78 and the IBC Code	Not applicable.	

## 15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA

· Section 302 (extremely hazardous substances):

Substance is not listed.

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act)

Substance is listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

• Chemicals known to cause developmental toxicity:

Substance is not listed.

(Cont'd. on page 8)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2018

Revision: March 01, 2018

Trade name: Vesta Heat, VIEWS, Big Wick

(Cont'd. of page 7)

· EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health):

Substance is not listed.

Canadian Domestic Substances List (DSL):

Substance is listed.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision March 01, 2018 / -

 Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration Acute Tox. 4: Acute toxicity - Category 4 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com